



Twist® Roller Blinds

Suggested Retail Prices (inc.VAT)

March 2024

Child Safety

All of our products meet with the child safety requirements of EN 13120:2009+A1:2014, Internal blinds – performance requirements including safety.

Safety devices

A tensioning device will be provided with all chain (looped) operated products to keep the chain under continuous tension. This device MUST be fitted at the point of installation to ensure compliance with the child safety requirements of EN 13120:2009+A1:2014.

Control lengths

As a requirement of EN 13120:2009+A1:2014, the maximum control length is determined by the safety device used on the product as well as the drop of the blind or installation height. The chart below details the maximum length of looped control chain available.

Maximum control lengths

Safety Device Used	Installation Height	Loop Length
Tensioning device	Not known and drop of blind up to 2.5m	Up to 1m
	Not known and drop of blind over 2.5m	Blind drop less 1.5m
	Known	Distance from floor to end of control to be at least 1.5m



FOR FURTHER COPIES OF THIS AND ALL OTHER LUXAFLEX® PRICELISTS GO TO THE DEALER PORTAL <http://dealers.luxaflex.co.uk>
 You can download order forms for all products at <http://dealers.luxaflex.co.uk>

CONTACT DETAILS

Address

Luxaflex® UK
Battersea Road
Heaton Mersey Industrial Estate Stockport, Cheshire
SK4 3EQ

Phone numbers

Front desk: 0161 442 9500

Fax numbers

Sale: 0161 432 3200

Email addresses

General: info@luxaflex.co.uk
Orders: orders.online@luxaflex.co.uk Marketing: marketing@luxaflex.co.uk
Training Academy: training.academy@luxaflex.co.uk

General Luxaflex website

www.luxaflex.co.uk

Dealer website

<http://dealers.luxaflex.co.uk/>

On the dealer portal you can find the most up to date lead time, and product information as well as order forms.

- Luxaflex® digital ordering system "Connect": www.luxaflexconnect.co.uk

Please note the following important information:

- All text, images, interfaces, photos of Hunter Douglas products or otherwise, trademarks, logos, sounds, music and artwork ("the Content"), including but not limited to it design, structure and / or selection, of such content displayed on this Website is owned by or licensed to Hunter Douglas and / or its affiliate companies (collectively "Hunter Douglas").
- The content may be used, but exclusively for the promotion of Luxaflex® products. Any other use of the Content of the Websites is strictly prohibited.
- The material and all related rights remain exclusive ownership of (the subsidiary concerned from) Hunter Douglas, unless expressly different agreed.

HOW TO CALCULATE A PRICE

- Based on your specific width and height, the prices detailed on pages 15 and 16 indicate the price for a standard product. On this page the standard product is defined.
- If applicable, options or alternative controls can be added. After calculating the price for a standard product, the add-on price for an option and the add-on price for the type of control can be added. The total product price is the combination of the price tables, options and alternative control.

HOW TO ORDER

Luxaflex® Connect

- Instant ordering, 24/7-even when the Luxaflex® office is closed
- Final order input onto our system-no queries
- Full insight into your order history
- Luxaflex® Connect will confirm if the blind is possible to manufacture
- Instant pricing including all product surcharges, with discounts show as a value and not a percentage.
- Available on mobile devices
- Full online programme which means no installation of software is required.





MEASURING

Deductions

Recess size reductions (mm)		
	Width:	Height:
Free hanging models	- 5 mm	- 5 mm
Wall mounting for Design model	- 5 mm	- 20 mm

Deduction of blind width to fabric width

Fabric Deduction		Tube 37	
Type	Operation	Plastic	Design/Alu
Mounting profile	Chain	30 mm	44 mm
	Motorised	38 mm	43 mm
	PowerView®	30 mm	35 mm
Type	Operation	Plastic	Aluminium
Cassette	Chain		30 mm
	Motorised		38 mm
	PowerView®		30 mm

Note:

Deduction always based on blind sizes




This is an indication of fabric width. Exact fabric width depends on fabric, model type and product dimensions.

LEO gives a final indication



MODELS

Freehanging models

Twist® Roller Blind mounted on mounting profiles						
	Concept	Operation	Tube diameter			
			L: Ø 37			
			MIN. width	MAX. width	MIN. height	MAX. height
	Plastic	Chain	400	2750	300	2800
		Motorised	430	2750	300	2800
		PowerView®	400	2750	300	2800
	Aluminium (Design)	Chain	400	2750	300	2800
		Motorised	430	2750	300	2800
		PowerView®	400	2750	300	2800
Twist® Roller Blind with a cassette						
	Concept	Operation	Tube diameter			
			L: Ø 37			
			MIN. width	MAX. width	MIN. height	MAX. height
	Aluminium	Chain	400	2750	300	2800
		Motorised	430	2750	300	2800
		PowerView®	400	2750	300	2800

Specific attention points

- All the models can be mounted in-recess or on-face with a universal mounting bracket.
- Maximum dimensions depend on the fabric; see Fabric overview on pages 10, 11 and 12 for further information.
- No surface (sqm) limitation
- If the height is 4 times larger than the width, the fabric will roll crookedly and is therefore not available.
- The maximum height of Twist® Roller blinds with a cassette maybe different from the height of the standard model with a mounting profile (see pages 10, 11 and 12 for fabric availability)
- At a width of 2500 mm, the fabric can be skewed by a maximum of 10 mm, because of the diversity of weaving in the closed and the transparent segment. At narrower products this will be relatively less.
- There can be a maximum difference between the front and rear fabric of up to 5 mm.




When aligning, take into account a total width of a maximum of 6 meters and a maximum of 5 products



OPERATION TYPES

All products are produced according to the child safety regulations (EN 13120). (window covering mounted at the inside of the window, performance requirements including safety).
When products are ordered, please register installation height.




Operation types

	<p>Chain</p> <ul style="list-style-type: none"> · Standard operation for all models · Silver metal (RVS) chain is standard. Optional plastic chain is possible in the colours white, grey or black · Standard child safe chain lengths · 1:1 gear ratio for all sizes for quick operation 		<p>Powerview®</p> <ul style="list-style-type: none"> · Available for all models · Operation possible on left and right side. Mention on your order which side the motor needs to be installed · As standard the motor is on the left hand side
	<p>Motorised 24V</p> <ul style="list-style-type: none"> · Available for all models · Operation possible on left and right side. Mention on your order which side the motor needs to be installed · As standard the motor is on the left hand side 		



INSTALLATION OPTIONS

Installation options

	<p>Standard mounting clip for mounting profile</p> <ul style="list-style-type: none">· Universal brackets for wall and ceiling mounting· Material is spring steel· Unpainted for all profile colours· By wall mounting with mounting profile (incl. Design Edition), there is a standard extra reduction in height of 15 mm. This is because the fabric roll and operation unit, that exceeds the mounting profile, hang freely (this is automatically deducted from the order when ordering facefix for standard mounting profile or design edition)		<p>Standard bracket for cassette</p> <ul style="list-style-type: none">· Universal brackets for wall and ceiling mounting· Available in three colours: white, black and aluminium
			<p>Adjustable bracket for cassette</p> <ul style="list-style-type: none">· Suitable for wall and ceiling mounting· Only available in white· Intended for height correction of the Twist® Roller Blinds

Number of brackets

Width (mm)	0-1200	1201-2200	2201-2750
Number of brackets	2	3	4

Specific attention points

- To ensure consistency when ordering multiple blinds in one order, please indicate on your order.



HARDWARE

Head rails




Mounting profile

Mounting profile back plate is aluminium – standard white

- Available in three colours: white, black and grey

The inlay of the side cover is colour coordinated to the hardware. Possible to order a different colour

- Standard for all operations
- Can be mounted to wall and ceiling. Always mention the way of mounting on your order, so that the correct height of fabric will be delivered




Cassette Open

- Cassette is aluminium – standard white
- Available in three colours: white, black and aluminium

Optional for all operations (surcharge applies)

- Can be mounted to wall and ceiling. Always mention the way of mounting by your order, so that the correct height of fabric will be delivered
- Optional with height adjustable brackets
- Optionally you can order a brush at the top of the product

Bottom rails



Standard

Bottom bar is aluminium

- Supplied in anodised silver as standard

Optional are the colours white and black

- Standard for all operations

Optional roll direction: Front/Reverse rolling

- Fabric rolls at the front of the tube
- No surcharge

Only available as top fix

Profile colours

There are 3 profile colours available:

Colour number:	Description:
0199	White metal
1858	Black metal
7052	Anodised

Twist® Roller Blinds



OPTIONS

Model A = Privacy; when the blind is fully lowered the vanes are closed.

Model B = Vane alignment; if multiple blinds with different drops are ordered, the vanes will align, however it is not guaranteed the vanes will close when the blind is at its full drop.

Alignment information


* If the blinds are all the same drop and require side by side alignment, please order Model A - but specify vane alignment on the order, as this way the blinds will be privacy and aligned.

** Blinds with different drops, these are usually for side windows and doors. You can specify for example the side blinds to be Model A and door blinds to be Model B, but all the same group. e.g. Group 1


Eg – Side windows drop 1500 and door blinds drop 2000 – order Side blinds Model A & door blinds Model B – but all the same Group side by side – this way the vanes will all align across all blinds the side windows will be privacy and the door Blinds will align but not guaranteed privacy

Options

Open




Open



Model A

- Standard Model for Luxaflex® Twist® Shades
- When the blind is fully lowered the vanes are closed.
- When the products are the same height at the top, the bottom rail will be covered when fully lowered. Maximum privacy because the material is closed. No alignment of the vanes
- When the products are the same height at the bottom, there is alignment of the vanes.
- A combination of a product with and without cassette cannot be aligned
- The special fabric types; Chorus, Hymm, Swing and Ballad cannot be aligned with the pattern

Open




Model B

- If multiple products are ordered in model B and they are mounted at the same height at the top, they will have continuous vanes because the rear fabric layer always starts at the top in the same way. As a result, when the product is rolled to its full drop the tracks may not be completely closed and / or the bottom rail may be visible.
- Include a clear drawing with the order
- A combination of a product with and without cassette cannot be aligned
- The special fabric types Chorus, Hymm, Swing and Ballad cannot be aligned with the pattern



Combination model A / model B

- The vanes when ordering Model A are always closed when lowered
- Model B is adapted to model A (reference product)
- Segments are aligned
- The closed segment at the rear, which is characteristic of model B, will be adjusted and will be the same as the reference product model A. In this case, the vanes are continuous and in the lowered position, the product on the bottom of model B is not closed
- Include a clear drawing with the order
- A combination of a product with and without cassette cannot be aligned
- The special fabric types Chorus, Hymm, Swing and Ballad cannot be aligned with the pattern




Products next to each other

- If you want to place several products next to each other, and want to align these products with each other, you should always state this when ordering as explained in Alignment information **
- If alignment is important, you can opt for model B or a combination of model A with model B
- When aligning, take into account a total width of a maximum of 6 meters and a maximum of 5 products



Leveler - only available with Design Edition

- Adjust the height of the tube with an Allen key
- Maximum of 4 mm adjustable up and down
- Always aluminium coloured
- 2 mm extra light-gap on the non-operating side
- Standard with a Design Edition package
- Not possible with the standard model and cassette



Design Edition

- Executed in the colour Pearl Chrome XL
- Design bracket 46 mm and aluminium operations set are always with anodised aluminium mounting profile
- Plastic inlay are colour coordinated. On request available
- in three colours: white, grey and black
- Standard with leveller



COLLECTION

Fabrics

LPN	Description	Material	Limited max width mm	Limited max height cassette mm	Price group	Light fastness value	Flame retardant	Maintenance/Cleaning	Index number in collection book
4725	Ouverture FR Black	100% PES	2750	2800	2	4	B1	Gently with wet sponge	82
4726	Ouverture FR White	100% PES	2750	2800	2	4	B1	Gently with wet sponge	63
4727	Ouverture FR Beige	100% PES	2750	2800	2	4	B1	Gently with wet sponge	66
4728	Ouverture FR Grey	100% PES	2750	2800	2	4	B1	Gently with wet sponge	74
4729	Metaphor Black	100% PES	2750	2800	2	6		Gently with wet sponge	86
4730	Metaphor Light grey	100% PES	2750	2800	2	6-7		Gently with wet sponge	48
4731	Metaphor Cream	100% PES	2750	2800	2	6		Gently with wet sponge	59
4732	Metaphor Dark grey	100% PES	2750	2800	2	6		Gently with wet sponge	78
4738	Rhyme Off white	100% PES	2750	2800	1	4		Gently with wet sponge	41
4743	Chorus White	100% PES	2450	2800	3	5		Gently with wet sponge	33
4744	Hymn White	100% PES	2450	2800	3	6-7		Gently with wet sponge	34
4745	Hymn Taupe	100% PES	2450	2800	3	4-5		Gently with wet sponge	35
4746	Ballad White	100% PES	2450	2800	3	6-7		Gently with wet sponge	32
4747	Swing White	100% PES	2450	2800	3	6-7		Gently with wet sponge	31
4748	Swing Grey	100% PES	2450	2800	3	4-5		Gently with wet sponge	36
5786	Sonate S White	100% PES	2750	2800	1	>5		Gently with wet sponge	39
5787	Sonate S Off white	100% PES	2750	2800	1	>5		Gently with wet sponge	45
5788	Sonate S Creme	100% PES	2750	2800	1	5		Gently with wet sponge	60
5790	Sonate S Taupe	100% PES	2750	2800	1	5		Gently with wet sponge	65
5791	Sonate S Black	100% PES	2750	2800	1	6		Gently with wet sponge	89
5792	Brilliance Gold	100% PES	2750	2800	1	6-7		Gently with wet sponge	56
5793	Brilliance Nutmeg	100% PES	2750	2800	1	6-7		Gently with wet sponge	58
5794	Brilliance Silver	100% PES	2750	2800	1	6-7		Gently with wet sponge	76
5795	Brilliance Black	100% PES	2750	2800	1	6-7		Gently with wet sponge	88
5800	Sonate White	100% PES	2750	2800	E	7		Gently with wet sponge	42
5801	Sonate Light Grey	100% PES	2750	2800	E	6		Gently with wet sponge	83
5802	Sonate Grey	100% PES	2750	2800	E	5		Gently with wet sponge	73
5803	Sonate Black	100% PES	2750	2800	E	7		Gently with wet sponge	91
5804	Sonate Off white	100% PES	2750	2800	E	5-6		Gently with wet sponge	51
5805	Sonate Sand	100% PES	2750	2800	E	5		Gently with wet sponge	61
5806	Sonate Brown	100% PES	2750	2800	E	5		Gently with wet sponge	67
5815	Allegory FR White	100% PES	2750	2800	1	7	B1	Gently with wet sponge	46
5816	Allegory FR Off white	100% PES	2750	2800	1	7	B1	Gently with wet sponge	55
5819	Allegory FR Black	100% PES	2750	2800	1	7	B1	Gently with wet sponge	87
5820	Allegory FR Light grey	100% PES	2750	2800	1	6	B1	Gently with wet sponge	77
5833	Tanka Off white	100% PES	2400	2800	E	4		Gently with wet sponge	50
5837	Tanka Grey	100% PES	2750	2800	E	4		Gently with wet sponge	75
5838	Rondeau White	100% PES	2400	2800	2	6		Gently with wet sponge	38
5839	Rondeau Creme	100% PES	2400	2800	2	6		Gently with wet sponge	49
5863	Poetry White	100% PES	2750	1800	1	8		Gently with wet sponge	52
5864	Poetry Brown	100% PES	2750	1800	1	5		Gently with wet sponge	68

Twist® Roller Blinds



LPN	Description	Material	Limited max width mm	Limited max height cassette mm	Price group	Light fastness value	Flame retardant	Maintenance/Cleaning	Index number in collection book
5865	Poetry Grey	100% PES	2750	1800	1	5		Gently with wet sponge	79
5866	Poetry Black	100% PES	2750	1800	1	7		Gently with wet sponge	90
5873	Carpe Diem Natural	100% PES	2750	2800	E	5		Gently with wet sponge	62
5874	Carpe Diem Aubergine	100% PES	2750	2800	E	5		Gently with wet sponge	18
5875	Carpe Diem Antracite	100% PES	2750	2800	E	5		Gently with wet sponge	84
5876	Carpe Diem Grey	100% PES	2750	2800	E	5		Gently with wet sponge	69
5883	Yeats Off white	100% PES	2400	2800	2	4		Gently with wet sponge	54
5884	Yeats Beige	100% PES	2400	2800	2	4		Gently with wet sponge	57
5885	Yeats Light grey	100% PES	2400	2800	2	4		Gently with wet sponge	70
8220	Sonate Light green	100% PES	2750	2800	E	7		Gently with wet sponge	2
8221	Sonate Light blue	100% PES	1600	2800	E	7		Gently with wet sponge	8
8222	Sonate Light pink	100% PES	2750	2800	E	7		Gently with wet sponge	15
8223	Pivar Ivory	100% PES	2750	2800	E	4-5		Gently with wet sponge	53
8224	Pivar Dark grey	100% PES	2750	2800	E	4-5		Gently with wet sponge	71
8225	Pivar Charcoal	100% PES	2750	2800	E	4-5		Gently with wet sponge	72
8226	Bodi White	100% PES	2750	2800	1	4		Gently with wet sponge	37
8227	Stargazer Laurel green	100% PES	2450	2800	2	4		Gently with wet sponge	1
8228	Stargazer Smoke grey	100% PES	2450	2800	2	4		Gently with wet sponge	9
8229	Stargazer Powder pink	100% PES	2450	2800	2	4		Gently with wet sponge	14
8230	Louvar Fern	100% PES	2450	2800	2	4		Gently with wet sponge	5
8231	Louvar Dusty blue	100% PES	2450	2800	2	4		Gently with wet sponge	11
8232	Louvar Mauve	100% PES	2450	2800	2	4		Gently with wet sponge	16
8233	Maren Laurel green	100% PES	2450	2800	2	4		Gently with wet sponge	3
8234	Maren Smoke grey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8235	Maren Powder pink	100% PES	2450	2800	2	4		Gently with wet sponge	13
8236	Leaves Fern	100% PES	2450	2800	2	4		Gently with wet sponge	4
8237	Leaves Dusty blue	100% PES	2450	2800	2	4		Gently with wet sponge	-
8238	Leaves Mauve	100% PES	2450	2800	2	4		Gently with wet sponge	17
8239	Leaves Light taupe	100% PES	2450	2800	2	4		Gently with wet sponge	23
8240	Louvar Light taupe	100% PES	2450	2800	2	4		Gently with wet sponge	21
8241	Leaves Laurel green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8242	Leaves Sage green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8243	Maren Light taupe	100% PES	2450	2800	2	4		Gently with wet sponge	20
8244	Stargazer Light taupe	100% PES	2450	2800	2	4		Gently with wet sponge	22
8245	Leaves Hay	100% PES	2450	2800	2	4		Gently with wet sponge	-
8246	Leaves Smoke grey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8247	Leaves Anthracite	100% PES	2450	2800	2	4		Gently with wet sponge	-
8248	Leaves Powder pink	100% PES	2450	2800	2	4		Gently with wet sponge	-
8249	Leaves Spiced honey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8250	Leaves Maccadiamia	100% PES	2450	2800	2	4		Gently with wet sponge	-
8251	Nobel Grey	100% PES	2750	2800	E	4-5		Gently with wet sponge	80
8252	Nobel White	100% PES	2750	2800	E	4-5		Gently with wet sponge	40
8253	Clearview™ White	100% PES	1600	2800	1	6		Gently with wet sponge	24

Twist® Roller Blinds



LPN	Description	Material	Limited max width mm	Limited max height cassette mm	Price group	Light fastness value	Flame retardant	Maintenance/Cleaning	Index number in collection book
8254	Clearview™ Natural	100% PES	1600	2800	1	6		Gently with wet sponge	25
8255	Clearview™ Taupe	100% PES	1600	2800	1	4-5		Gently with wet sponge	26
8256	Clearview™ Light grey	100% PES	1600	2800	1	5-6		Gently with wet sponge	27
8257	Clearview™ Grey	100% PES	1600	2800	1	5-6		Gently with wet sponge	28
8258	Clearview™ Anthracite	100% PES	1600	2800	1	4-5		Gently with wet sponge	29
8259	Clearview™ Dark Mauve	100% PES	1600	2800	1	5		Gently with wet sponge	19
8260	Clearview™ Blue	100% PES	1600	2800	1	5-6		Gently with wet sponge	12
8261	Clearview™ Green	100% PES	1600	2800	1	5		Gently with wet sponge	6
8262	Clearview™ Black	100% PES	1600	2800	1	6		Gently with wet sponge	30
8263	Babel White	100% PES	2750	2800	2	6-7		Gently with wet sponge	43
8264	Babel Black	100% PES	2750	2800	2	6		Gently with wet sponge	81
8265	Luxor White	100% PES	2750	2800	1	>5		Gently with wet sponge	44
8266	Luxor Natural	100% PES	2750	2800	1	>5		Gently with wet sponge	47
8267	Luxor White	100% PES	2750	2800	1	>5		Gently with wet sponge	64
8268	Maren Anthracite	100% PES	2450	2800	2	4		Gently with wet sponge	-
8269	Maren Mauve	100% PES	2450	2800	2	4		Gently with wet sponge	-
8270	Maren Hay	100% PES	2450	2800	2	4		Gently with wet sponge	-
8271	Maren Spiced honey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8272	Maren Maccadiamia	100% PES	2450	2800	2	4		Gently with wet sponge	-
8273	Maren Dusty blue	100% PES	2450	2800	2	4		Gently with wet sponge	10
8274	Maren Sage green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8275	Maren Fern	100% PES	2450	2800	2	4		Gently with wet sponge	-
8276	Stargazer Fern	100% PES	2450	2800	2	4		Gently with wet sponge	-
8277	Stargazer Dusty blue	100% PES	2450	2800	2	4		Gently with wet sponge	-
8278	Stargazer Mauve	100% PES	2450	2800	2	4		Gently with wet sponge	-
8279	Stargazer Anthracite	100% PES	2450	2800	2	4		Gently with wet sponge	-
8280	Stargazer Sage green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8281	Stargazer Hay	100% PES	2450	2800	2	4		Gently with wet sponge	-
8282	Stargazer Spiced honey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8283	Stargazer Maccadiamia	100% PES	2450	2800	2	4		Gently with wet sponge	-
8284	Louvar Smoke grey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8285	Louvar Sage green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8286	Louvar Laurel green	100% PES	2450	2800	2	4		Gently with wet sponge	-
8287	Louvar Hay	100% PES	2450	2800	2	4		Gently with wet sponge	-
8288	Louvar Spiced honey	100% PES	2450	2800	2	4		Gently with wet sponge	-
8289	Louvar Powder pink	100% PES	2450	2800	2	4		Gently with wet sponge	-
8291	Louvar Anthracite	100% PES	2450	2800	2	4		Gently with wet sponge	-
8290	Louvar Maccadiamia	100% PES	2450	2800	2	4		Gently with wet sponge	-



Fabric properties

Vane dimensions

Depending on the yarn used, fabrics react strongly to temperature changes and the moisture content.

This may cause wrinkles in the fabric, which can also disappear when the temperature or moisture content changes. With Twist® Roller blinds, the cut sides can be slightly rounded, creating a larger light gap.

Colour fastness

Due to UV radiation and unfiltered daylight, discolouring (fading) of the fabric can happen. Different production batches may have mutual colour differences. Twist® Roller blinds are made with high-quality fabrics, but as with all fabrics it is possible that visible variations are present in the fabric. This is normal and is not a product malfunction.

Segment skew

Due to the weaving of the fabric it is not possible to produce differences in height. At a width of, for example, 2400 mm, the webs can run 5 mm behind each other.

Fabric compositions

PES = Polyester

Polyester has a very high form and fold resistance and is used a lot pure or as a mixed fiber with cotton. Polyester has a good resistance to sunlight, is crease-resistant and has a very low shrinkage.

Two net curtain fabrics behind each other can give a moire effect.

Pattern

The special fabric qualities Chorus, Hymn, Ballad and Swing have a pattern in the fabric.

This pattern is repeated as follows:

Fabric name:	In width:	In height:
Chorus	21 cm	27,5 cm
Hymn	31 cm	24 cm
Ballad	31 cm	10,8 cm
Swing	15,5 cm	15 cm

Designs (Digiprint)

4 digiprint designs in 12 colours.

Name of the fabrics:

- Maren
- Stargazer
- Louvar
- Leaves



Please note prices are based on metric calculations, Imperial sizes should be used as a guide only

PRICE GROUP E

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£
	400	16"	288	314	341	375	404	431	465	486	517	546	605	629	665
	600	24"	297	328	351	395	420	449	486	517	546	578	643	675	713
	800	32"	306	328	368	411	436	476	513	546	582	614	688	713	760
	1000	40"	310	348	380	425	465	503	546	578	623	654	728	764	803
	1200	48"	314	351	400	436	483	517	571	609	654	692	764	803	854
	1400	56"	328	368	411	465	508	546	596	639	686	729	807	854	906
	1600	63"	337	380	431	483	526	571	627	677	726	771	854	897	953
	1800	71"	348	395	443	503	551	596	654	704	760	805	891	942	1001
	2000	79"	351	411	465	517	571	627	677	735	794	845	931	987	1046
	2200	87"	360	420	476	539	596	654	704	771	827	886	974	1034	1095
	2400	95"	375	431	486	560	614	677	735	800	864	918	1014	1079	1142
	2600	103"	380	436	503	571	632	695	760	834	895	954	1055	1122	1185
	2800	111"	384	436	508	578	639	713	774	845	913	965	1079	1147	1206

Order surcharge - £11 per order

PRICE GROUP 1

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£
	400	16"	305	335	362	400	436	465	503	530	569	598	665	690	728
	600	24"	314	351	382	429	459	499	542	580	612	647	722	762	803
	800	32"	323	357	404	458	488	537	582	623	670	710	791	823	873
	1000	40"	335	382	425	481	526	575	629	674	728	771	852	897	947
	1200	48"	344	396	449	503	560	607	672	722	778	832	915	962	1025
	1400	56"	360	414	470	537	596	643	713	773	832	890	981	1043	1098
	1600	63"	371	431	499	566	627	686	758	830	888	949	1050	1111	1169
	1800	71"	389	449	517	594	666	726	800	868	947	1008	1111	1179	1251
	2000	79"	398	476	546	623	693	773	843	917	996	1068	1167	1250	1322
	2200	87"	407	486	566	650	729	807	881	965	1046	1125	1241	1318	1395
	2400	95"	427	506	585	681	760	850	931	1019	1100	1183	1302	1386	1469
	2600	103"	434	515	607	701	791	881	967	1064	1156	1239	1368	1457	1541
	2800	111"	443	519	623	720	807	908	998	1093	1190	1273	1412	1509	1586

Order surcharge - £11 per order

PRICE GROUP 2

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£
	400	16"	314	350	384	429	470	506	548	582	625	665	731	767	805
	600	24"	330	378	420	472	512	560	612	663	697	744	830	873	926
	800	32"	346	395	449	513	562	620	675	728	787	839	931	974	1035
	1000	40"	362	427	483	551	614	677	746	801	870	931	1030	1089	1145
	1200	48"	378	445	519	589	666	729	807	877	954	1021	1122	1190	1260
	1400	56"	402	472	557	636	720	789	875	956	1032	1113	1224	1305	1381
	1600	63"	420	503	594	683	764	850	949	1034	1122	1206	1327	1413	1493
	1800	71"	441	528	625	726	818	908	1010	1100	1208	1296	1424	1520	1610
	2000	79"	458	564	665	771	868	972	1075	1181	1284	1386	1520	1628	1723
	2200	87"	472	582	692	809	922	1034	1136	1253	1367	1480	1620	1734	1840
	2400	95"	494	609	728	854	969	1093	1210	1329	1451	1568	1718	1842	1952
	2600	103"	510	630	758	893	1021	1147	1275	1406	1536	1653	1822	1952	2061
	2800	111"	526	643	787	922	1053	1192	1325	1457	1601	1718	1899	2036	2146

Order surcharge - £11 per order

Carriage paid for delivery to mainland dealer addresses in England, Scotland and Wales. Surcharge may apply for home and non-mainland deliveries. Delivery to the Channel Islands - £35.50. Delivery to Northern Ireland - £25.



Please note prices are based on metric calculations, Imperial sizes should be used as a guide only

PRICE GROUP 3

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Drop	mm	ins	£	£	£	£	£	£	£	£	£	£	£	£	£
	400	16"	324	368	407	458	506	546	594	632	683	726	800	843	890
	600	24"	348	404	450	513	564	621	681	735	787	841	931	987	1048
	800	32"	371	427	494	573	629	695	771	832	899	963	1068	1124	1201
	1000	40"	395	468	539	625	697	778	861	933	1016	1086	1201	1275	1356
	1200	48"	414	499	589	674	764	852	953	1034	1125	1212	1327	1413	1512
	1400	56"	441	533	630	738	841	931	1034	1134	1232	1329	1464	1568	1673
	1600	63"	465	571	683	796	900	1010	1131	1244	1345	1453	1604	1709	1822
	1800	71"	488	605	728	854	972	1088	1215	1336	1458	1575	1732	1856	1979
	2000	79"	513	647	776	913	1043	1172	1304	1439	1572	1703	1863	1998	2133
	2200	87"	537	677	818	967	1113	1251	1388	1539	1682	1824	2000	2142	2290
	2400	95"	564	713	864	1028	1178	1334	1485	1640	1795	1946	2132	2288	2443
	2600	103"	584	742	906	1079	1244	1406	1570	1739	1903	2063	2268	2434	2600
	2800	111"	605	764	947	1124	1296	1478	1644	1822	1998	2157	2380	2556	2722

Order surcharge - £11 per order

DESIGN EDITION SURCHARGE

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Any Drop			£108	£116	£119	£128	£128	£130	£135	£139	£143	£148	£148	£152	£155

Order surcharge - £11 per order

CASSETTE SURCHARGE

	Width	mm ins	400 16"	600 24"	800 32"	1000 40"	1200 48"	1400 56"	1600 63"	1800 71"	2000 79"	2200 87"	2400 95"	2600 103"	2750 108"
Any Drop			£42	£49	£56	£65	£69	£80	£87	£90	£92	£103	£112	£116	£125

Order surcharge - £11 per order

OPTIONS

Adjustable bracket	£43
Reverse Roll	FOC
Top fix only with mounting profile	
White, black or grey plastic chain	FOC
Grey mounting profile with grey plastic end caps	FOC
Black mounting profile with black plastic end caps	FOC

ELECTRIC OPTIONS

PowerView® without any power supply	Please see PowerView Automation Price list
24V Motor Only M25T2T	£388.00
24V Motor only WT28 (S)	£560.00
12V Wire free RTS +Bat (S)	£478.00

Order surcharge - £11 per order

Carriage paid for delivery to mainland dealer addresses in England, Scotland and Wales. Surcharge may apply for home and non-mainland deliveries. Delivery to the Channel Islands - £35.50. Delivery to Northern Ireland - £25.

